









| | DPF 6000XRP | DPF 4600LX | DPF 6000RP WHITE | DPF 4300 | DPF 45WF |
|------------------------------|--|--|--|---|--|
| DESCRIPTION | Premium Cast Film with X-Scape Technology | Premium Wrap Film | Premium Cast Film | Intermediate Multi-Purpose Removable Film | One-Way View Window Film |
| FACE FILM THICKNESS | Cast Vinyl 2-Mil (50 Micron) | High Performance Vinyl 3.2-Mil (80 Micron) | Cast Vinyl 2-Mil (50 Micron) | Calendered Vinyl 3.5-Mil (90 Micron) | Calendered Vinyl 6-Mil (150 Micron) |
| ADHESIVE | Clean Removing, Repositionable (Light Gray) | Clean Removing, Repositionable (Light Gray) | Clean Removing, Repositionable (Light Gray) | Removable (Clear) | Clean Removing, Low Tack (Clear) |
| RELEASE LINER | Lay-Flat Polycoated with  | Lay-Flat Polycoated with Low Profile  | Lay-Flat Polycoated | Lay-Flat Polycoated | Lay-Flat Polycoated |
| FINISH | Gloss | Gloss | Gloss | Matte | Satin |
| APPLICATIONS | Fleet Full Vehicle Wraps Partial Vehicle Wraps | Partial Fleet Wraps Partial Vehicle Wraps Vehicle Decals | Fleet Full Vehicle Wraps Partial Vehicle Wraps | Painted Walls Windows Removable Vehicle Decals | One-Way Window Graphics Vehicle Window Graphics 60/40 Perf Pattern |
| FILM LIFE (UNPRINTED) | 7 Years | 5 Years | 7 Years | 4 Years | 1 Year |
| AVAILABLE WIDTHS | 30" / 48" / 54" / 60" | 30" / 54" / 60" | 30" / 48" / 54" / 60" | 54" | 54" / 60" |
| AVAILABLE LENGTHS | 60' + / 150' | 150' | 60' + / 150' | 150' | 164' |
| COMPATIBLE OVERLAM | Series 3220 Series 3210 Series 3200 | Series 3210 Series 3220 | Series 3220 Series 3210 Series 3200 | Series 3220 | Series 3200 |
| PRINTER COMPATIBILITY | Eco-Solvent / Solvent UV / Latex  | Eco-Solvent / Solvent UV / Latex  | Eco-Solvent / Solvent UV / Latex | Eco-Solvent / Solvent UV / Latex | Eco-Solvent Solvent / UV |

| | DPF 8000 | DPF 6700 | DPF 47WF |
|-----------------------|--|---|---|
| DESCRIPTION | Industrial Grade Film with Adhesive for Hard-to-Stick Surfaces | Premium Cast Wall Wrap Film | One-Way View Window Film |
| FACE FILM THICKNESS | Calendered Vinyl 3.5-Mil (90 Micron) | Cast Vinyl 2-Mil (50 Micron) | Calendered Vinyl 6-Mil (150 Micron) |
| ADHESIVE | High Tack Adhesive for Hard-to-Stick Surfaces (Clear) | Permanent (Clear) | Clean Removing Low Tack (Clear) |
| RELEASE LINER | Lay-Flat Polycoated | Lay-Flat Polycoated | Lay-Flat Polycoated |
| FINISH | Satin | Gloss | Satin |
| APPLICATIONS | Wall Murals ABS Plastics Rough Surfaces Brick, Concrete and Stucco Walls | Wall Murals Hard-to-Stick Surfaces Unpainted Brick, Concrete and Stucco Walls | One-Way Window Graphics Building Window Graphics 70/30 Perf Pattern |
| FILM LIFE (UNPRINTED) | 7 Years | 7 Years | 1 Year |
| AVAILABLE WIDTHS | 30" / 49" / 54" / 60" | 30" / 48" / 54" / 60" | 54" / 60" |
| AVAILABLE LENGTHS | 150' / 300' | 150' | 164' |
| COMPATIBLE OVERLAM | Series 3220 / Series 3210 Series 3420 / Series 3590 | Series 3220 / Series 3210 Series 3200 | Series 3200 |
| PRINTER COMPATIBILITY | Eco-Solvent / Solvent UV / Latex  | Eco-Solvent / Solvent UV / Latex | Eco-Solvent Solvent / UV |


| | DPF 5200 | DPF 206 | DPF 207 | DPF 4300 |
|-------------------------|---|--|--|--|
| DESCRIPTION | Printable Etched Glass Cast Window Film | Removable Coated Wall Fabric | Removable Wall Decoration Film | Intermediate Multi-Purpose Removable Film |
| FACE FILM THICKNESS | 2-Mil (50 Micron) | 6-Mil (150 Micron) | 6-Mil (150 Micron) | Calendered Vinyl 3.5-Mil (90 Micron) |
| ADHESIVE | Permanent (Clear) | Removable (Clear) | Removable (Clear) | Removable (Clear) |
| RELEASE LINER | Lay-Flat Synthetic | Lay-Flat Polycoated | Lay-Flat Polycoated | Lay-Flat Polycoated |
| FINISH | Standard Etched Glass Silver Etched Glass Sparkle Etched Glass | Matte | Matte | Matte |
| APPLICATIONS | Window Graphics Mirrors Partitions Glass or Clear Substrates Interior & Exterior Applications | Indoor Advertising POP Trade Shows Retail Home Décor | Indoor Advertising POP Trade Shows Retail Home Décor | Painted Walls Windows Removable Vehicle Decals |
| FILM LIFE (UNPRINTED) | 7 Years | 1 Year | 1 Year | 4 Years |
| AVAILABLE WIDTHS | 24" / 30" / 48" / 60" | 54" | 54" | 54" |
| AVAILABLE LENGTHS | 30' / 150' | 100' | 150' | 150' |
| COMPATIBLE OVERLAMINATE | N/A | N/A | N/A | Series 3220 |
| PRINTER COMPATIBILITY | Eco-Solvent Solvent / Latex | Eco-Solvent Solvent / UV | Eco-Solvent Solvent / UV | Eco-Solvent / Solvent UV / Latex |

| | DPF 390 | DPF 350 / DPF 355 † | DPF 380 / DPF 385 † | DPF 6000RP CLEAR | DPF 6500 |
|--------------------------------|--|--|--|---------------------------------|--|
| DESCRIPTION | Backlit Printable Flex | Smooth Promotional (Backlit) | Smooth Promotional (Backlit) | Premium Clear Cast Film | Premium Translucent Cast Film |
| FACE FILM THICKNESS | 19.5-oz White Polyester Scrim | 15-oz White Polyester Scrim | 18-oz White Polyester Scrim | Cast Vinyl 2-Mil (50 Micron) | Cast Vinyl 2-Mil (50 Micron) |
| YARN | 500 x 500 Denier 18 x 18 Thread Count | 500 x 500 Denier | 500 x 500 Denier | N/A | N/A |
| ADHESIVE | N/A | N/A | N/A | Permanent (Clear) | Permanent (Clear) |
| RELEASE LINER | N/A | N/A | N/A | Lay-Flat Polycoated | Lay-Flat Polycoated |
| FINISH | Satin | Gloss | Gloss | Gloss | Gloss |
| APPLICATIONS | Backlit Illuminated Signs LED or Fluorescent Light Boxes Awnings | Backlit Illuminated Signs Indoor/Outdoor Advertising Short-Term Applications | Backlit Illuminated Signs Indoor/Outdoor Advertising Short-Term Applications | Windows Second Surface Signs | Backlit Illuminated Signs POP Displays |
| FILM LIFE (UNPRINTED) | 6 Years | DPF 350 - 1 Year DPF 355 - 3 Years | DPF 380 - 1 Year DPF 385 - 3 Years | 7 Years | 7 Years |
| AVAILABLE WIDTHS | 3'6" / 4'6" / 6'6" / 8'6" 10'6" / 12'6" / 16'4" | Custom order 38" to 196" | Custom order 38" to 196" | 30" / 48" / 54" / 60" | 30" / 48" / 54" / 60" |
| AVAILABLE LENGTHS | 164' | Custom order up to 164' | Custom order up to 164' | 150' | 60' + / 150' |
| COMPATIBLE OVERLAMINATE | N/A | N/A | N/A | Series 3200 | Series 3210 / Series 3220 Series 3200 / Series 3350 |
| PRINTER COMPATIBILITY | Eco-Solvent / Solvent UV / Latex | Eco-Solvent Solvent / UV | Eco-Solvent Solvent / UV | Eco-Solvent Solvent / UV | Eco-Solvent Solvent / UV |

| | DPF 4500LX / GX | DPF 4560GTX / MTX | DPF 4560GT / MT | DPF 4500G WHITE / CLEAR |
|-----------------------|---|--|--|--|
| DESCRIPTION | Intermediate Digital Film with X-Scape Technology | Intermediate Digital Film with X-Scape Technology | Intermediate Digital Film | Intermediate Digital Film |
| FACE FILM THICKNESS | Calendered Vinyl 3-Mil (75 Micron) | Calendered Vinyl 3-Mil (75 Micron) | Calendered Vinyl 3-Mil (75 Micron) | Calendered Vinyl 3-Mil (75 Micron) |
| ADHESIVE | Permanent, Opaque LX - (Light Gray) GX - (Clear) | Permanent, Opaque GTX - (Light Gray) MTX - (Dark Gray) | Permanent, Opaque (Dark Gray) | Permanent (Clear) |
| RELEASE LINER | Lay-Flat Polycoated with  | Lay-Flat Polycoated with  | Lay-Flat Polycoated | DPF 4500G White (Clay Coated) DPF 4500G/M Clear (Lay-Flat Polycoated) |
| FINISH | Gloss | Gloss / Matte | Gloss / Matte | Gloss / Gloss Clear Matte Clear |
| APPLICATIONS | POP Displays Flat Surfaces Medium-Term Graphics | POP Displays Outdoor Signage Medium-Term Graphics Tradeshow Graphics | POP Displays Outdoor Signage Blockout Applications Mounted Prints Medium-Term Graphics | POP Displays Second Surface ♦ Windows ♦ Medium-Term Graphics |
| FILM LIFE (UNPRINTED) | 5 Years | 5 Years | 5 Years | 5 Years |
| AVAILABLE WIDTHS | 30" / 48" / 54" / 60" | 30" / 48" / 54" / 60" | 30" / 48" / 54" / 60" | 30" / 48" / 54" / 60" |
| AVAILABLE LENGTHS | 150' | 150' | 150' | 150' |
| COMPATIBLE OVERLAM | Series 3420 | Series 3420 Series 3220 Series 3210 | Series 3420 Series 3220 Series 3210 | DPF 4500G White (Series 3420) DPF 4500G/M Clear (Series 3200) |
| PRINTER COMPATIBILITY | Eco-Solvent / Solvent UV / Latex | Eco-Solvent / Solvent UV / Latex *  | Eco-Solvent / Solvent UV / Latex | Eco-Solvent / Solvent UV / Latex ▲ |

| | SERIES 3220 | SERIES 3210 | SERIES 3420 |
|------------------------------|--|---|--|
| DESCRIPTION | Premium Cast Overlamine | Premium Cast Overlamine | Premium Calendered Overlamine |
| FACE FILM THICKNESS | Cast Vinyl 2-Mil (50 Micron) | Cast Vinyl 1.3-Mil (35 Micron) | Calendered Vinyl 3-Mil (75 Micron) |
| ADHESIVE | Permanent (Clear) | Permanent (Clear) | Permanent (Clear) |
| RELEASE LINER | Clay Coated | Clay Coated | Clay Coated |
| FINISH | Gloss / Luster / Satin / Matte | Gloss | Gloss / Satin / Matte |
| RECOMMENDED VINYL | DPF 6000XRP DPF 6000RP White DPF 6500 DPF 6700 DPF 4600LX DPF 4560GTX DPF 4300 DPF 8000 | DPF 6000XRP DPF 6000RP White DPF 6500 DPF 6700 DPF 8000 DPF 4600LX | DPF 4570GTX DPF 4560GTX / MTX DPF 4560GT / MT DPF 4500LX /GX DPF 4500G White DPF 8000 |
| FILM LIFE (UNPRINTED) | 7 Years | 7 Years | 5 Years |
| AVAILABLE WIDTHS | 30" / 48" / 54" / 60" | 30" / 48" / 54" / 60" | 30" / 48" / 54" / 60" |
| AVAILABLE LENGTHS | 60' ♦ / 150' | 150' | 60' ♦ / 150' |

| | SERIES 3590 | SERIES 3200 | SERIES 3350 |
|------------------------------|---|--|--------------------------------|
| DESCRIPTION | Heavy Duty Calendered Overlaminate | High Gloss Optically Clear Cast Overlaminate | Anti-Graffiti PVDF |
| FACE FILM THICKNESS | Calendered Vinyl 12-Mil (305 Micron) | Cast Vinyl 2-Mil (50 Micron) | PVDF 2-Mil (50 Micron) |
| ADHESIVE | Permanent (Clear) | Permanent (Clear) | Permanent (Clear) |
| RELEASE LINER | Clay Coated Kraft Liner | Polyester | Lay-Flat Polycoated |
| FINISH | Gloss | Gloss | Satin |
| RECOMMENDED VINYL | DPF 8000 | DPF 6000XRP DPF 6000RP White DPF 6000RP Clear DPF 6500 DPF 6700 DPF 4500G/M Clear DPF 2400 DPF 45WF DPF 47WF DPF 50WD Clear | Most DPF and Screenprint Films |
| FILM LIFE (UNPRINTED) | 2 Years | 7 Years | 10 Years |
| AVAILABLE WIDTHS | 54" / 60" | 30" / 54" / 60" | 49" / 54" |
| AVAILABLE LENGTHS | 30' / 75' | 25' ♦ / 60' ♦ / 100' / 150' | 150' |

| | DPF 500 | DPF 540 | DPF 50WD WHITE / CLEAR | DPF 208  | DPF 210 / 210PB | DPF 215 |
|-----------------------|--|--|---|---|---|---|
| DESCRIPTION | Calendered Promotional Film | Calendered Promotional Film | Removable Window Decal Film | Eco Roll-Up Polypropylene | Roll-Up Xtreme Polyester | Pop-Up Film |
| FACE FILM THICKNESS | Calendered Vinyl 3-Mil (75 Micron) | Calendered Vinyl 4-Mil (100 Micron) | Calendered Vinyl 3.5-Mil (90 Micron) White 4-Mil (100 Micron) Clear | 8-Mil (200 Micron) | 9.8-Mil (250 Micron) | 14.5-Mil (370 Micron) |
| ADHESIVE | Removable or Permanent (Clear) Removable or Permanent (Gray-Tinted) | Removable or Permanent (Clear) Removable or Permanent (Gray-Tinted) | Removable (Clear) | N/A | N/A | N/A |
| OPACITY | N/A | N/A | N/A | 80% | 90% | 90% |
| RELEASE LINER | Kraft Liner | Kraft Liner | Lay-Flat Polycoated | N/A | N/A | N/A |
| FINISH | Matte / Gloss Gloss Clear | Matte / Gloss | DPF 50WD White - Matte DPF 50WD Clear - Gloss | Satin | Satin / Pebble ▲ | Satin |
| APPLICATIONS | Short-Term Signage Real Estate POP Trade Shows Kiosks | Short-Term Signage Real Estate POP Trade Shows Kiosks | Window Decals & Displays Appliance Decals High Energy Surfaces Horizontal Application (Non-Floor Graphics) | Indoor Advertising POP Trade Shows Retail Roll-Up Displays | Indoor Advertising POP Trade Shows Retail Roll-Up Displays | Indoor Advertising POP Trade Shows Retail |
| FILM LIFE (UNPRINTED) | 2 Years | 2 Years | DPF 50WD White 2 Years DPF 50WD Clear 1 Year | 1 Year | 1 Year | 1 Year |
| AVAILABLE WIDTHS | 30" / 54" / 60" ♦ | 30" / 54" / 60" | 54" / 60" | 36" / 50" | 36" / 50" / 60" | 36" |
| AVAILABLE LENGTHS | 150' / 164' ♦ | 150' | 150' | 98' | 98' / 164' | 98' |
| COMPATIBLE OVERLAM | DPF 500 Clear | DPF 500 Clear | Series 3420 / Series 3200 | N/A | N/A | N/A |
| PRINTER COMPATIBILITY | Eco-Solvent Solvent / UV | Eco-Solvent Solvent / UV | Eco-Solvent / Solvent UV / Latex | Eco-Solvent Solvent | Eco-Solvent Solvent | Eco-Solvent Solvent |

| | DPF 313 | DPF 303 | DPF 308*† | DPF 310BB | DPF 315 | DPF 318 |
|-----------------------|--|---|--|--|---|---|
| DESCRIPTION | Front Lit Smooth Promotional Banner | Super Smooth Blockout, Double Sided | Mesh with or without PVC liner | Front-Lit Lightweight Black-Back | Economical Double Sided (Blockout) | Intermediate Double Sided (Blockout) |
| FACE FILM THICKNESS | 13-oz White Polyester Scrim | 13-oz White Polyester Scrim | 8-oz White Polyester Mesh | 9-oz White Polyester Scrim | 15-oz White Polyester Scrim | 18-oz White Polyester Scrim |
| YARN | 1000D | 250D | 1000D | 1000D | 500D | 1000D |
| OPACITY | 97% | 100% | N/A | 100% | 100% | 100% |
| FINISH | Gloss / Matte | Satin | Matte | Matte | Gloss / Matte ♦ | Gloss / Matte ♦ |
| APPLICATIONS | Indoor/Outdoor Advertising Billboards (1000D) Stadium Graphics | Merchandising Displays High-Res. Graphics | Indoor Merchandising Film, TV, Theater Outdoor Advertising Building Wraps | Billboards Outdoor Advertising Short-Term Graphics | Indoor/Outdoor Advertising Billboards Indoor Hanging Graphics | Flag Poles Indoor/Outdoor Advertising Indoor/Outdoor Hanging Graphics |
| FILM LIFE (UNPRINTED) | 1 Year | 1 Year | 1 Year | 1 Year | 1 Year | 1 Year |
| AVAILABLE WIDTHS | 30" / 38" / 48" 54" / 60" / 63" 72" / 98" / 126" 196" (1000D) Custom order other sizes | 38" / 54" / 62" 102" / 126" Custom sizes available | Custom Order 54" - 196" | 126" / 196" Custom order other sizes | 38" / 54" / 62" Custom order other sizes up to 196" | 38" / 54" Custom order other sizes up to 196" |
| AVAILABLE LENGTHS | 120' (1000D) 150' (1000D) 164' (1000D≥72") Reverse Wound (1000D≥72") Custom order other sizes ▲ | 150' Custom order other sizes up to 164' | 150** Custom order other sizes up to 164' | 164' Custom order other sizes | 150' Custom order other sizes up to 164' | 75' / 150' Custom order other sizes up to 164' |
| PRINTER COMPATIBILITY | Eco-Solvent Solvent UV / Latex Certified for HP Latex Inks | Eco-Solvent Solvent UV / Latex | Eco-Solvent Solvent / UV | Eco-Solvent Solvent / UV | Eco-Solvent Solvent UV / Latex | Eco-Solvent Solvent UV / Latex |

| | DPF 2400 | DPF 9000 | DPF 4000 | DPF 2000 |
|-----------------------|---|--|--|--|
| DESCRIPTION | Fleet Grade** Digitally Printable Reflective Film | Industrial Grade Film | Industrial Grade Film | Industrial Grade Film |
| FACE FILM THICKNESS | Opaque Reflective Vinyl 5-Mil (125 Micron) | Opaque Calendered Vinyl 3.5-Mil (90 Micron) | Opaque Calendered Vinyl 3.5-Mil (90 Micron) | Opaque Calendered Vinyl 3.5-Mil (90 Micron) |
| ADHESIVE | Permanent (Clear) | Heat, Solvent Resistant Permanent (Clear) | Permanent (Clear) | Removable (Clear) |
| RELEASE LINER | Lay-Flat Polycoated | Lay-Flat Polycoated | Lay-Flat Polycoated | Lay-Flat Polycoated |
| FINISH | Gloss | Satin | Satin | Satin |
| APPLICATIONS | Vehicle Decals Fleet Markings | Gasoline Pumps Recreational Vehicles Fleet Markings Boats | Rail/Ocean Containers POP Displays Fleet Markings Recreational Vehicles | Bus/Transit Graphics Removable Interior Wall Graphics Billboards Die-Cut Letters |
| FILM LIFE (UNPRINTED) | 7 Years | 7 Years | 7 Years | 7 Years |
| AVAILABLE WIDTHS | 48.5" | 30" / 49" / 54" / 60" | 30" / 49" / 54" / 60" | 30" / 49" / 54" / 60" |
| AVAILABLE LENGTHS | 30' / 150' | 150' | 150' | 150' |
| COMPATIBLE OVERLAM | Series 3200 | Series 3420 / Series 3220 | Series 3420 / Series 3220 | Series 3420 / Series 3220 |
| PRINTER COMPATIBILITY | Eco-Solvent / Solvent | Eco-Solvent / Solvent UV / Latex | Eco-Solvent / Solvent UV / Latex | Eco-Solvent / Solvent UV / Latex |

| CATEGORY | PRODUCT | APPLICATIONS |
|--|-------------------------|-------------------------------|
| PREMIUM CAST FILM (OPAQUE, CLEAR & TRANSLUCENT) | DPF 6000XRP | AUTOMOTIVE |
| | DPF 6000RP WHITE | AUTOMOTIVE |
| | DPF 6000RP CLEAR | BACKLIT IDENTITY SIGNAGE |
| | DPF 6500 | BACKLIT IDENTITY SIGNAGE |
| | DPF 6700 | BUILDING WRAPS |
| PREMIUM SPECIALTY FILMS | DPF 8000 | BUILDING WRAPS |
| | DPF 4600LX | AUTOMOTIVE |
| | DPF 4300 | AUTOMOTIVE, INTERIOR DECOR |
| | DPF 2400 | INDUSTRIAL |
| WINDOW FILMS | DPF 45WF | AUTOMOTIVE |
| | DPF 47WF | BUILDING WRAPS |
| | DPF 50WD WHITE / CLEAR | PROMOTIONAL |
| INTERMEDIATE CALENDERED FILMS | DPF 4500LX / GX | COMMERCIAL SIGNAGE |
| | DPF 4560GTX / MTX | COMMERCIAL SIGNAGE |
| | DPF 4560GT / MT | COMMERCIAL SIGNAGE |
| | DPF 4500G WHITE / CLEAR | COMMERCIAL SIGNAGE |
| INDUSTRIAL GRADE FILMS | DPF 9000 | INDUSTRIAL |
| | DPF 4000 | INDUSTRIAL |
| | DPF 2000 | INDUSTRIAL |
| PROMOTIONAL & INTERIOR FILMS | DPF 500 | PROMOTIONAL |
| | DPF 540 | PROMOTIONAL |
| | DPF 206 | INTERIOR DÉCOR |
| | DPF 207 | INTERIOR DÉCOR |
| | DPF 208 | PROMOTIONAL |
| | DPF 210 / DPF 210PB | PROMOTIONAL |
| | DPF 215 | PROMOTIONAL |
| | DPF 5200 | INTERIOR DÉCOR |
| BANNER & FLEXIBLE SUBSTRATES | DPF 303 | PROMOTIONAL BANNER |
| | DPF 308 | PROMOTIONAL BANNER |
| | DPF 310BB | PROMOTIONAL BANNER |
| | DPF 313 | PROMOTIONAL BANNER |
| | DPF 315 | PROMOTIONAL BANNER |
| | DPF 318 | PROMOTIONAL BANNER |
| | DPF 350 / DPF 355 | BACKLIT IDENTITY SIGNAGE |
| | DPF 380 / DPF 385 | BACKLIT IDENTITY SIGNAGE |
| | DPF 390 | BACKLIT IDENTITY SIGNAGE |
| OVERLAMINATES | SERIES 3200 | SPECIALTY OVERLAMINATES |
| | SERIES 3210 | PREMIUM GRAPHIC OVERLAMINATES |
| | SERIES 3220 | PREMIUM GRAPHIC OVERLAMINATES |
| | SERIES 3420 | PREMIUM GRAPHIC OVERLAMINATES |
| | SERIES 3350 | SPECIALTY OVERLAMINATES |
| | SERIES 3590 | SPECIALTY OVERLAMINATES |